Rumble Conversion Table								
Value	Sine Osc Tune	Super Osc Tune	Shaper Drive	Envelope Delay	Envelope Attack	Envelope Hold	Envelope Decay	Envelope Release
0	2.00 Hz	-36.00 Semitones	-20.0 dB	0.000 Sec	0.0 ms	0.0 ms	0.0 ms	0.0 ms
1	2.19 Hz	-35.28 Semitones	-19.4 dB	0.000 Sec	10.0 ms	10.0 ms	10.0 ms	10.0 ms
2	2.40 Hz	-34.56 Semitones	-18.8 dB	0.002 Sec	11.6 ms	11.6 ms	11.6 ms	11.6 ms
3	2.64 Hz	-33.84 Semitones	-18.2 dB	0.004 Sec	12.5 ms	12.5 ms	12.5 ms	12.5 ms
4	2.89 Hz	-33.12 Semitones	-17.6 dB	0.006 Sec	13.4 ms	13.4 ms	13.4 ms	13.4 ms
5	3.17 Hz	-32.40 Semitones	-17.0 dB	0.010 Sec	14.5 ms	14.5 ms	14.5 ms	14.5 ms
6	3.48 Hz	-31.68 Semitones	-16.4 dB	0.014 Sec	15.6 ms	15.6 ms	15.6 ms	15.6 ms
7	3.81 Hz	-30.96 Semitones	-15.8 dB	0.020 Sec	16.8 ms	16.8 ms	16.8 ms	16.8 ms
8	4.18 Hz	-30.24 Semitones	-15.2 dB	0.026 Sec	18.0 ms	18.0 ms	18.0 ms	18.0 ms
9	4.58 Hz	-29.52 Semitones	-14.6 dB	0.032 Sec	19.4 ms	19.4 ms	19.4 ms	19.4 ms
10	5.02 Hz	-28.80 Semitones	-14.0 dB	0.040 Sec	20.9 ms	20.9 ms	20.9 ms	20.9 ms
11	5.51 Hz	-28.08 Semitones	-13.4 dB	0.048 Sec	22.5 ms	22.5 ms	22.5 ms	22.5 ms
12	6.04 Hz	-27.36 Semitones	-12.8 dB	0.058 Sec	24.2 ms	24.2 ms	24.2 ms	24.2 ms
13	6.62 Hz	-26.64 Semitones	-12.2 dB	0.068 Sec	26.1 ms	26.1 ms	26.1 ms	26.1 ms
14	7.26 Hz	-25.92 Semitones	-11.6 dB	0.078 Sec	28.1 ms	28.1 ms	28.1 ms	28.1 ms
15	7.96 Hz	-25.20 Semitones	-11.0 dB	0.090 Sec	30.2 ms	30.2 ms	30.2 ms	30.2 ms
16	8.73 Hz	-24.48 Semitones	-10.4 dB	0.102 Sec	32.6 ms	32.6 ms	32.6 ms	32.6 ms
17	9.57 Hz	-23.76 Semitones	-9.8 dB	0.116 Sec	36.1 ms	36.1 ms	36.1 ms	36.1 ms
18	10.50 Hz	-23.04 Semitones	-9.2 dB	0.130 Sec	37.7 ms	37.7 ms	37.7 ms	37.7 ms
19	11.51 Hz	-22.32 Semitones	-8.6 dB	0.144 Sec	40.6 ms	40.6 ms	40.6 ms	40.6 ms
20	12.62 Hz	-21.60 Semitones	-8.0 dB	0.160 Sec	43.7 ms	43.7 ms	43.7 ms	43.7 ms
21	13.84 Hz	-20.88 Semitones	-7.4 dB	0.176 Sec	47.1 ms	47.1 ms	47.1 ms	47.1 ms
22	15.17 Hz	-20.16 Semitones	-6.8 dB	0.194 Sec	50.7 ms	50.7 ms	50.7 ms	50.7 ms
23	16.64 Hz	-19.44 Semitones	-6.2 dB	0.212 Sec	54.6 ms	54.6 ms	54.6 ms	54.6 ms
24	18.24 Hz	-18.72 Semitones	-5.6 dB	0.230 Sec	58.7 ms	58.7 ms	58.7 ms	58.7 ms
25	20.00 Hz	-18.00 Semitones	-5.0 dB	0.250 Sec	63.2 ms	63.2 ms	63.2 ms	63.2 ms
26	21.93 Hz	-17.28 Semitones	-4.4 dB	0.270 Sec	68.1 ms	68.1 ms	68.1 ms	68.1 ms
27	24.05 Hz	-16.56 Semitones	-3.8 dB	0.292 Sec	73.3 ms	73.3 ms	73.3 ms	73.3 ms
28	26.37 Hz	-15.84 Semitones	-3.2 dB	0.314 Sec	78.9 ms	78.9 ms	78.9 ms	78.9 ms
29	28.91 Hz	-15.12 Semitones	-2.6 dB	0.336 Sec	85.0 ms	85.0 ms	85.0 ms	85.0 ms
30	31.70 Hz	-14.40 Semitones	-2.0 dB	0.360 Sec	91.5 ms	91.5 ms	91.5 ms	91.5 ms
31	34.76 Hz	-13.68 Semitones	-1.4 dB	0.384 Sec	98.5 ms	98.5 ms	98.5 ms	98.5 ms
32	38.11 Hz	-12.96 Semitones	-0.8 dB	0.410 Sec	106 ms	106 ms	106 ms	106 ms

Rumble Conversion Table								
Value	Sine Osc Tune	Super Osc Tune	Shaper Drive	Envelope Delay	Envelope Attack	Envelope Hold	Envelope Decay	Envelope Release
33	41.79 Hz	-12.24 Semitones	-0.2 dB	0.436 Sec	114 ms	114 ms	114 ms	114 ms
34	45.82 Hz	-11.52 Semitones	0.4 dB	0.462 Sec	123 ms	123 ms	123 ms	123 ms
35	50.24 Hz	-10.80 Semitones	1.0 dB	0.490 Sec	132 ms	132 ms	132 ms	132 ms
36	55.08 Hz	-10.08 Semitones	1.6 dB	0.518 Sec	142 ms	142 ms	142 ms	142 ms
37	60.40 Hz	-9.36 Semitones	2.2 dB	0.548 Sec	153 ms	153 ms	153 ms	153 ms
38	66.23 Hz	-8.64 Semitones	2.8 dB	0.578 Sec	165 ms	165 ms	165 ms	165 ms
39	72.62 Hz	-7.92 Semitones	3.4 dB	0.608 Sec	178 ms	178 ms	178 ms	178 ms
40	79.62 Hz	-7.20 Semitones	4.0 dB	0.640 Sec	191 ms	191 ms	191 ms	191 ms
41	87.30 Hz	-6.48 Semitones	4.6 dB	0.672 Sec	206 ms	206 ms	206 ms	206 ms
42	95.73 Hz	-5.76 Semitones	5.2 dB	0.706 Sec	222 ms	222 ms	222 ms	222 ms
43	105.0 Hz	-5.04 Semitones	5.8 dB	0.740 Sec	239 ms	239 ms	239 ms	239 ms
44	115.1 Hz	-4.32 Semitones	6.4 dB	0.774 Sec	257 ms	257 ms	257 ms	257 ms
45	126.2 Hz	-3.60 Semitones	7.0 dB	0.810 Sec	277 ms	277 ms	277 ms	277 ms
46	138.4 Hz	-2.88 Semitones	7.6 dB	0.846 Sec	298 ms	298 ms	298 ms	298 ms
47	151.7 Hz	-2.16 Semitones	8.2 dB	0.884 Sec	321 ms	321 ms	321 ms	321 ms
48	166.4 Hz	-1.44 Semitone	8.8 dB	0.922 Sec	345 ms	345 ms	345 ms	345 ms
49	182.4 Hz	-0.72 Semitone	9.4 dB	0.960 Sec	372 ms	372 ms	372 ms	372 ms
50	200.0 Hz	0.00 Semitone	10.0 dB	1.000 Sec	400 ms	400 ms	400 ms	400 ms
51	219.3 Hz	0.72 Semitone	10.6 dB	1.040 Sec	431 ms	431 ms	431 ms	431 ms
52	240.5 Hz	1.44 Semitone	11.2 dB	1.082 Sec	464 ms	464 ms	464 ms	464 ms
53	263.7 Hz	2.16 Semitones	11.8 dB	1.124 Sec	499 ms	499 ms	499 ms	499 ms
54	289.1 Hz	2.88 Semitones	12.4 dB	1.166 Sec	537 ms	537 ms	537 ms	537 ms
55	317.0 Hz	3.60 Semitones	13.0 dB	1.210 Sec	578 ms	578 ms	578 ms	578 ms
56	347.6 Hz	4.32 Semitones	13.6 dB	1.254 Sec	623 ms	623 ms	623 ms	623 ms
57	381.1 Hz	5.04 Semitones	14.2 dB	1.300 Sec	670 ms	670 ms	670 ms	670 ms
58	419.9 Hz	5.76 Semitones	14.8 dB	1.346 Sec	722 ms	722 ms	722 ms	722 ms
59	458.2 Hz	6.48 Semitones	15.4 dB	1.392 Sec	777 ms	777 ms	777 ms	777 ms
60	502.4 Hz	7.20 Semitones	16.0 dB	1.440 Sec	837 ms	837 ms	837 ms	837 ms
61	550.8 Hz	7.92 Semitones	16.6 dB	1.488 Sec	901 ms	901 ms	901 ms	901 ms
62	604.0 Hz	8.64 Semitones	17.2 dB	1.538 Sec	970 ms	970 ms	970 ms	970 ms
63	662.3 Hz	9.36 Semitones	17.8 dB	1.588 Sec	1.04 s	1.04 s	1.04 s	1.04 s
64	726.2 Hz	10.08 Semitones	18.4 dB	1.638 Sec	1.12 s	1.12 s	1.12 s	1.12 s
65	796.2 Hz	10.80 Semitones	19.0 dB	1.690 Sec	1.21 s	1.21 s	1.21 s	1.21 s

Rumble Conversion Table								
Value	Sine Osc Tune	Super Osc Tune	Shaper Drive	Envelope Delay	Envelope Attack	Envelope Hold	Envelope Decay	Envelope Release
66	873.0 Hz	11.52 Semitones	19.6 dB	1.742 Sec	1.30 s	1.30 s	1.30 s	1.30 s
67	957.3 Hz	12.24 Semitones	20.2 dB	1.796 Sec	1.40 s	1.40 s	1.40 s	1.40 s
68	1.05 kHz	12.96 Semitones	20.8 dB	1.850 Sec	1.51 s	1.51 s	1.51 s	1.51 s
69	1.15 kHz	13.68 Semitones	21.4 dB	1.904 Sec	1.62 s	1.62 s	1.62 s	1.62 s
70	1.26 kHz	14.40 Semitones	22.0 dB	1.960 Sec	1.75 s	1.75 s	1.75 s	1.75 s
71	1.38 kHz	15.12 Semitones	22.6 dB	2.016 Sec	1.88 s	1.88 s	1.88 s	1.88 s
72	1.52 kHz	15.84 Semitones	23.2 dB	2.074 Sec	2.03 s	2.03 s	2.03 s	2.03 s
73	1.66 kHz	16.56 Semitones	23.8 dB	2.132 Sec	2.18 s	2.18 s	2.18 s	2.18 s
74	1.82 kHz	17.28 Semitones	24.4 dB	2.190 Sec	2.35 s	2.35 s	2.35 s	2.35 s
75	2.00 kHz	18.00 Semitones	25.0 dB	2.250 Sec	2.53 s	2.53 s	2.53 s	2.53 s
76	2.19 kHz	18.72 Semitones	25.6 dB	2.310 Sec	2.72 s	2.72 s	2.72 s	2.72 s
77	2.40 kHz	19.44 Semitones	26.2 dB	2.372 Sec	2.93 s	2.93 s	2.93 s	2.93 s
78	2.64 kHz	20.16 Semitones	26.8 dB	2.434 Sec	3.16 s	3.16 s	3.16 s	3.16 s
79	2.89 kHz	20.88 Semitones	27.4 dB	2.496 Sec	3.40 s	3.40 s	3.40 s	3.40 s
80	3.17 kHz	21.60 Semitones	28.0 dB	2.560 Sec	3.66 s	3.66 s	3.66 s	3.66 s
81	3.48 kHz	22.32 Semitones	28.6 dB	2.624 Sec	3.94 s	3.94 s	3.94 s	3.94 s
82	3.81 kHz	23.04 Semitones	29.2 dB	2.690 Sec	4.24 s	4.24 s	4.24 s	4.24 s
83	4.18 kHz	23.76 Semitones	29.8 dB	2.756 Sec	4.56 s	4.56 s	4.56 s	4.56 s
84	4.58 kHz	24.48 Semitones	30.4 dB	2.822 Sec	4.91 s	4.91 s	4.91 s	4.91 s
85	5.02 kHz	25.20 Semitones	31.0 dB	2.890 Sec	5.29 s	5.29 s	5.29 s	5.29 s
86	5.51 kHz	25.92 Semitones	31.6 dB	2.958 Sec	5.70 s	5.70 s	5.70 s	5.70 s
87	6.04 kHz	26.64 Semitones	32.2 dB	3.028 Sec	6.13 s	6.13 s	6.13 s	6.13 s
88	6.62 kHz	27.36 Semitones	32.8 dB	3.098 Sec	6.60 s	6.60 s	6.60 s	6.60 s
89	7.26 kHz	28.08 Semitones	33.4 dB	3.168 Sec	7.11 s	7.11 s	7.11 s	7.11 s
90	7.96 kHz	28.80 Semitones	34.0 dB	3.240 Sec	7.65 s	7.65 s	7.65 s	7.65 s
91	8.73 kHz	29.52 Semitones	34.6 dB	3.312 Sec	8.24 s	8.24 s	8.24 s	8.24 s
92	9.57 kHz	30.24 Semitones	35.2 dB	3.386 Sec	8.87 s	8.87 s	8.87 s	8.87 s
93	10.50 kHz	30.96 Semitones	35.8 dB	3.460 Sec	9.55 s	9.55 s	9.55 s	9.55 s
94	11.51 kHz	31.68 Semitones	36.4 dB	3.534 Sec	10.28 s	10.28 s	10.28 s	10.28 s
95	12.62 kHz	32.40 Semitones	37.0 dB	3.610 Sec	11.06 s	11.06 s	11.06 s	11.06 s
96	13.84 kHz	33.12 Semitones	37.6 dB	3.686 Sec	11.91 s	11.91 s	11.91 s	11.91 s
97	15.17 kHz	33.84 Semitones	38.2 dB	3.764 Sec	12.82 s	12.82 s	12.82 s	12.82 s
98	16.64 kHz	34.56 Semitones	38.8 dB	3.842 Sec	13.81 s	13.81 s	13.81 s	13.81 s

Rumble Conversion Table								
Value	**Sine Osc Tune**	**Super Osc Tune**	**Shaper Drive**	**Envelope Delay**	**Envelope Attack**	**Envelope Hold**	**Envelope Decay**	**Envelope Release**
99	18.24 kHz	35.28 Semitones	39.4 dB	3.920 Sec	14.86 s	14.86 s	14.86 s	14.86 s
100	20.00 kHz	36.00 Semitones	40.0 dB	4.000 Sec	16.00 s	16.00 s	16.00 s	16.00 s

Value	Vibrato speed not synced	Auto Bend Time	Pitch Bend Amount	Filter Cutoff	Filter Cutoff
			Tune		
0	0.01 Hz	0.0 ms	0 Semitones	#REF!	20.00 Hz
1	0.01 Hz	10.0 ms	001	#REF!	21.48 Hz
2	0.01 Hz	11.6 ms	002	#REF!	23.07 Hz
3	0.01 Hz	12.5 ms	003	#REF!	24.77 Hz
4	0.01 Hz	13.4 ms	004	#REF!	26.60 Hz
5	0.02 Hz	14.5 ms	005	#REF!	28.57 Hz
6	0.02 Hz	15.6 ms	006	#REF!	30.68 Hz
7	0.02 Hz	16.8 ms	007	#REF!	32.95 Hz
8	0.02 Hz	18.0 ms	008	#REF!	36.38 Hz
9	0.02 Hz	19.4 ms	009	#REF!	38.00 Hz
10	0.03 Hz	20.9 ms	010	#REF!	40.81 Hz
11	0.03 Hz	22.5 ms	011	#REF!	43.82 Hz
12	0.03 Hz	24.2 ms	012	#REF!	47.06 Hz
13	0.03 Hz	26.1 ms	013	#REF!	50.54 Hz
14	0.04 Hz	28.1 ms	014	#REF!	54.27 Hz
15	0.04 Hz	30.2 ms	015	#REF!	58.29 Hz
16	0.04 Hz	32.6 ms	016	#REF!	62.59 Hz
17	0.05 Hz	36.1 ms	017	#REF!	67.22 Hz
18	0.05 Hz	37.7 ms	018	#REF!	72.19 Hz
19	0.06 Hz	40.6 ms	019	#REF!	77.53 Hz
20	0.06 Hz	43.7 ms	020	#REF!	83.26 Hz
21	0.07 Hz	47.1 ms	021	#REF!	89.41 Hz
22	0.08 Hz or 3 beats	50.7 ms	022	#REF!	96.02 Hz
23	0.08 Hz	54.6 ms	023	#REF!	103.1 Hz
24	0.09 Hz	58.7 ms	024	#REF!	110.7 Hz
25	0.10 Hz	63.2 ms	025	#REF!	118.9 Hz
26	0.11 Hz	68.1 ms	026	#REF!	127.7 Hz
27	0.12 Hz	73.3 ms	027	#REF!	137.1 Hz
28	0.13 Hz	78.9 ms	028	#REF!	147.3 Hz
29	0.14 Hz	85.0 ms	1 Semitone	#REF!	158.2 Hz
30	0.16 Hz	91.5 ms	030	#REF!	169.9 Hz
31	0.17 Hz	98.5 ms	031	#REF!	182.4 Hz
32	0.19 Hz	106 ms	032	#REF!	195.9 Hz

Value	Vibrato speed not synced	Auto Bend Time	Pitch Bend Amount	Filter Cutoff	Filter Cutoff
			Tune		
33	0.21 Hz	114 ms	033	#REF!	210.4 Hz
34	0.23 Hz	123 ms	034	#REF!	225.9 Hz
35	0.25 Hz or 1 beat	132 ms	035	#REF!	242.6 Hz
36	0.28 Hz	142 ms	036	#REF!	260.6 Hz
37	0.30 Hz	153 ms	037	#REF!	279.8 Hz
38	0.33 Hz	165 ms	038	#REF!	300.5 Hz
39	0.36 Hz	178 ms	039	#REF!	322.7 Hz
40	0.40 Hz	191 ms	040	#REF!	346.6 Hz
41	0.44 Hz	206 ms	2 Semitones	#REF!	372.2 Hz
42	0.48 Hz	222 ms	042	#REF!	399.7 Hz
43	0.52 Hz	239 ms	043	#REF!	429.2 Hz
44	0.58 Hz	257 ms	044	#REF!	461.0 Hz
45	0.63 Hz	277 ms	045	#REF!	495.0 Hz
46	0.69 Hz	298 ms	046	#REF!	531.6 Hz
47	0.76 Hz	321 ms	047	#REF!	570.9 Hz
48	0.83 Hz	345 ms	048	#REF!	613.1 Hz
49	0.91 Hz	372 ms	049	#REF!	658.4 Hz
50	1.00 Hz or 1/4 beat	400 ms	3 Semitones	#REF!	707.1 Hz
51	1.10 Hz	431 ms	051	#REF!	759.4 Hz
52	1.20 Hz	464 ms	052	#REF!	815.5 Hz
53	1.32 Hz	499 ms	053	#REF!	875.8 Hz
54	1.45 Hz	537 ms	054	#REF!	940.5 Hz
55	1.58 Hz	578 ms	055	#REF!	1.01 kHz
56	1.74 Hz	623 ms	056	#REF!	1.08 kHz
57	1.91 Hz	670 ms	057	#REF!	1.16 kHz
58	2.09 Hz or 1/8 beat	722 ms	4 Semitones	#REF!	1.25 kHz
59	2.29 Hz	777 ms	059	#REF!	1.34 kHz
60	2.51 Hz	837 ms	060	#REF!	1.44 kHz
61	2.75 Hz	901 ms	061	#REF!	1.55 kHz
62	3.02 Hz	970 ms	062	#REF!	1.66 kHz
63	3.31 Hz	1.04 s	063	#REF!	1.79 kHz
64	3.63 Hz	1.12 s	064	#REF!	1.92 kHz
65	16 beat	1.21 s	5 Semitones	#REF!	2.06 kHz

Value	Vibrato speed not synced	Auto Bend Time	Pitch Bend Amount	Filter Cutoff	Filter Cutoff
			Tune		
66	4.37 Hz	1.30 s	066	#REF!	2.21 kHz
67	4.79 Hz	1.40 s	067	#REF!	2.38 kHz
68	5.25 Hz	1.51 s	068	#REF!	2.55 kHz
69	5.75 Hz	1.62 s	069	#REF!	2.74 kHz
70	6.31 Hz	1.75 s	070	#REF!	2.94 kHz
71	6.92 Hz	1.88 s	6 Semitones	#REF!	3.16 kHz
72	7.59 Hz	2.03 s	072	#REF!	3.39 kHz
73	8.32 Hz or 1/32 beat	2.18 s	073	#REF!	3.65 kHz
74	9.12 Hz	2.35 s	074	#REF!	3.92 kHz
75	10.00 Hz	2.53 s	075	#REF!	4.20 kHz
76	10.96 Hz	2.72 s	7 Semitones	#REF!	4.52 kHz
77	12.02 Hz	2.93 s	077	#REF!	4.85 kHz
78	13.18 Hz	3.16 s	078	#REF!	5.21 kHz
79	14.45 Hz	3.40 s	079	#REF!	5.59 kHz
80	15.85 Hz or 1/64 beat	3.66 s	080	#REF!	6.01 kHz
81	17.38 Hz	3.94 s	081	#REF!	6.45 kHz
82	19.05 Hz	4.24 s	8 Semitones	#REF!	6.93 kHz
83	20.89 Hz	4.56 s	083	#REF!	7.44 kHz
84	22.91 Hz	4.91 s	084	#REF!	7.99 kHz
85	25.12 Hz	5.29 s	085	#REF!	8.58 kHz
86	27.54 Hz	5.70 s	086	#REF!	9.21 kHz
87	30.20 Hz	6.13 s	9 Semitones	#REF!	9.89 kHz
88	33.11 Hz	6.60 s	088	#REF!	10.62 kHz
89	36.31 Hz	7.11 s	089	#REF!	11.41 kHz
90	39.81 Hz	7.65 s	090	#REF!	12.25 kHz
91	43.65 Hz	8.24 s	10 Semitones	#REF!	13.16 kHz
92	47.86 Hz	8.87 s	092	#REF!	14.13 kHz
93	52.48 Hz	9.55 s	093	#REF!	15.18 kHz
94	57.54 Hz	10.28 s	094	#REF!	16.30 kHz
95	63.10 Hz	11.06 s	095	#REF!	17.50 kHz
96	69.18 Hz	11.91 s	11 Semitones	#REF!	18.80 kHz
97	75.86 Hz	12.82 s	097	#REF!	20.19 kHz
98	83.18 Hz	13.81 s	098	#REF!	21.68 kHz

Value	**Vibrato speed not synced**	**Auto Bend Time**	**Pitch Bend Amount**	**Filter Cutoff**	**Filter Cutoff**
			Tune		
99	91.20 Hz	14.86 s	099	#REF!	23.28 kHz
100	100.0 Hz	16.00 s	12 Semitones	#REF!	25.00 kHz

Value	Filter Attack / Decay / Release	Delay Time	Delay Ratio		Delay Damping	High Low Pass Filter Cutoff
			Left	Right		
0	0.0 ms	0.000 Sec	50	100	20.00 kHz	20.00 Hz
1	10.0 ms	0.000 Sec	51	100	19.41 kHz	21.48 Hz
2	11.6 ms	0.002 Sec	52	100	18.84 kHz	23.07 Hz
3	12.5 ms	0.004 Sec	53	100	18.28 kHz	24.77 Hz
4	13.4 ms	0.006 Sec	54	100	17.74 kHz	26.60 Hz
5	14.5 ms	0.010 Sec	55	100	17.22 kHz	28.57 Hz
6	15.6 ms	0.014 Sec	56	100	16.71 kHz	30.68 Hz
7	16.8 ms	0.020 Sec	57	100	16.22 kHz	32.95 Hz
8	18.0 ms	0.026 Sec	58	100	15.74 kHz	36.38 Hz
9	19.4 ms	0.032 Sec	59	100	15.27 kHz	38.00 Hz
10	20.9 ms	0.040 Sec	60	100	14.82 kHz	40.81 Hz
11	22.5 ms	0.048 Sec	61	100	14.39 kHz	43.82 Hz
12	24.2 ms	0.058 Sec	62	100	13.96 kHz	47.06 Hz
13	26.1 ms	0.068 Sec	63	100	13.55 kHz	50.54 Hz
14	28.1 ms	0.078 Sec	64	100	13.15 kHz	54.27 Hz
15	30.2 ms	0.090 Sec	65	100	12.76 kHz	58.29 Hz
16	32.6 ms	0.102 Sec	66	100	12.38 kHz	62.59 Hz
17	36.1 ms	0.116 Sec	67	100	12.02 kHz	67.22 Hz
18	37.7 ms	0.130 Sec	68	100	11.66 kHz	72.19 Hz
19	40.6 ms	0.144 Sec	69	100	11.32 kHz	77.53 Hz
20	43.7 ms	0.160 Sec	70	100	10.99 kHz	83.26 Hz
21	47.1 ms	0.176 Sec	71	100	10.66 kHz	89.41 Hz
22	50.7 ms	0.194 Sec	72	100	10.35 kHz	96.02 Hz
23	54.6 ms	0.212 Sec	73	100	10.04 kHz	103.1 Hz
24	58.7 ms	0.230 Sec	74	100	9.75 kHz	110.7 Hz
25	63.2 ms	0.250 Sec	75	100	9.46 kHz	118.9 Hz
26	68.1 ms	0.270 Sec	76	100	9.18 kHz	127.7 Hz
27	73.3 ms	0.292 Sec	77	100	8.91 kHz	137.1 Hz
28	78.9 ms	0.314 Sec	78	100	8.64 kHz	147.3 Hz
29	85.0 ms	0.336 Sec	79	100	8.39 kHz	158.2 Hz
30	91.5 ms	0.360 Sec	80	100	8.14 kHz	169.9 Hz
31	98.5 ms	0.384 Sec	81	100	7.90 kHz	182.4 Hz
32	106 ms	0.410 Sec	82	100	7.67 kHz	195.9 Hz

Value	Filter Attack / Decay / Release	Delay Time	Delay Ratio		Delay Damping	High Low Pass Filter Cutoff
			Left	Right		
33	114 ms	0.436 Sec	83	100	7.44 kHz	210.4 Hz
34	123 ms	0.462 Sec	84	100	7.22 kHz	225.9 Hz
35	132 ms	0.490 Sec	85	100	7.00 kHz	242.6 Hz
36	142 ms	0.518 Sec	86	100	6.80 kHz	260.6 Hz
37	153 ms	0.548 Sec	87	100	6.60 kHz	279.8 Hz
38	165 ms	0.578 Sec	88	100	6.41 kHz	300.5 Hz
39	178 ms	0.608 Sec	89	100	6.22 kHz	322.7 Hz
40	191 ms	0.640 Sec	90	100	6.03 kHz	346.6 Hz
41	206 ms	0.672 Sec	91	100	5.86 kHz	372.2 Hz
42	222 ms	0.706 Sec	92	100	5.68 kHz	399.7 Hz
43	239 ms	0.740 Sec	93	100	5.52 kHz	429.2 Hz
44	257 ms	0.774 Sec	94	100	5.35 kHz	461.0 Hz
45	277 ms	0.810 Sec	95	100	5.19 kHz	495.0 Hz
46	298 ms	0.846 Sec	96	100	5.04 kHz	531.6 Hz
47	321 ms	0.884 Sec	97	100	4.89 kHz	570.9 Hz
48	345 ms	0.922 Sec	98	100	4.75 kHz	613.1 Hz
49	372 ms	0.960 Sec	99	100	4.61 kHz	658.4 Hz
50	400 ms	1.000 Sec	100	100	4.47 kHz	707.1 Hz
51	431 ms	1.040 Sec	100	99	4.34 kHz	759.4 Hz
52	464 ms	1.082 Sec	100	98	4.21 kHz	815.5 Hz
53	499 ms	1.124 Sec	100	97	4.09 kHz	875.8 Hz
54	537 ms	1.166 Sec	100	96	3.97 kHz	940.5 Hz
55	578 ms	1.210 Sec	100	95	3.85 kHz	1.01 kHz
56	623 ms	1.254 Sec	100	94	3.74 kHz	1.08 kHz
57	670 ms	1.300 Sec	100	93	3.63 kHz	1.16 kHz
58	722 ms	1.346 Sec	100	92	3.52 kHz	1.25 kHz
59	777 ms	1.392 Sec	100	91	3.42 kHz	1.34 kHz
60	837 ms	1.440 Sec	100	90	3.31 kHz	1.44 kHz
61	901 ms	1.488 Sec	100	89	3.22 kHz	1.55 kHz
62	970 ms	1.538 Sec	100	88	3.12 kHz	1.66 kHz
63	1.04 s	1.588 Sec	100	87	3.03 kHz	1.79 kHz
64	1.12 s	1.638 Sec	100	86	2.94 kHz	1.92 kHz
65	1.21 s	1.690 Sec	100	85	2.85 kHz	2.06 kHz

Value	Filter Attack / Decay / Release	Delay Time	Delay Ratio		Delay Damping	High Low Pass Filter Cutoff
			Left	Right		
66	1.30 s	1.742 Sec	100	84	2.77 kHz	2.21 kHz
67	1.40 s	1.796 Sec	100	83	2.69 kHz	2.38 kHz
68	1.51 s	1.850 Sec	100	82	2.61 kHz	2.55 kHz
69	1.62 s	1.904 Sec	100	81	2.53 kHz	2.74 kHz
70	1.75 s	1.960 Sec	100	80	2.46 kHz	2.94 kHz
71	1.88 s	2.016 Sec	100	79	2.38 kHz	3.16 kHz
72	2.03 s	2.074 Sec	100	78	2.31 kHz	3.39 kHz
73	2.18 s	2.132 Sec	100	77	2.25 kHz	3.65 kHz
74	2.35 s	2.190 Sec	100	76	2.18 kHz	3.92 kHz
75	2.53 s	2.250 Sec	100	75	2.11 kHz	4.20 kHz
76	2.72 s	2.310 Sec	100	74	2.05 kHz	4.52 kHz
77	2.93 s	2.372 Sec	100	73	1.99 kHz	4.85 kHz
78	3.16 s	2.434 Sec	100	72	1.93 kHz	5.21 kHz
79	3.40 s	2.496 Sec	100	71	1.88 kHz	5.59 kHz
80	3.66 s	2.560 Sec	100	70	1.82 kHz	6.01 kHz
81	3.94 s	2.624 Sec	100	69	1.77 kHz	6.45 kHz
82	4.24 s	2.690 Sec	100	68	1.71 kHz	6.93 kHz
83	4.56 s	2.756 Sec	100	67	1.66 kHz	7.44 kHz
84	4.91 s	2.822 Sec	100	66	1.61 kHz	7.99 kHz
85	5.29 s	2.890 Sec	100	65	1.57 kHz	8.58 kHz
86	5.70 s	2.958 Sec	100	64	1.52 kHz	9.21 kHz
87	6.13 s	3.028 Sec	100	63	1.48 kHz	9.89 kHz
88	6.60 s	3.098 Sec	100	62	1.43 kHz	10.62 kHz
89	7.11 s	3.168 Sec	100	61	1.39 kHz	11.41 kHz
90	7.65 s	3.240 Sec	100	60	1.35 kHz	12.25 kHz
91	8.24 s	3.312 Sec	100	59	1.31 kHz	13.16 kHz
92	8.87 s	3.386 Sec	100	58	1.27 kHz	14.13 kHz
93	9.55 s	3.460 Sec	100	57	1.23 kHz	15.18 kHz
94	10.28 s	3.534 Sec	100	56	1.20 kHz	16.30 kHz
95	11.06 s	3.610 Sec	100	55	1.16 kHz	17.50 kHz
96	11.91 s	3.686 Sec	100	54	1.13 kHz	18.80 kHz
97	12.82 s	3.764 Sec	100	53	1.09 kHz	20.19 kHz
98	13.81 s	3.842 Sec	100	52	1.06 kHz	21.68 kHz

Value	Filter Attack / Decay / Release	Delay Time	Delay Ratio		Delay Damping	High Low Pass Filter Cutoff
			Left	Right		
99	14.86 s	3.920 Sec	100	51	1.03 kHz	23.28 kHz
100	16.00 s	4.000 Sec	100	50	1.00 kHz	25.00 kHz

Value	Reverb Pre Delay	Reverb High Cut / Damping	Reverb Low Cut	Pan
0	0.0 ms	20.00 kHz	20.00 Hz	- 50 Left
1	0.0 ms	19.54 kHz	20.94 Hz	- 49 Left
2	0.1 ms	19.10 kHz	21.93 Hz	- 48 Left
3	0.2 ms	18.67 kHz	22.96 Hz	- 47 Left
4	0.3 ms	18.24 kHz	24.05 Hz	- 46 Left
5	0.5 ms	17.83 kHz	25.18 Hz	- 45 Left
6	0.7 ms	17.42 kHz	26.37 Hz	- 44 Left
7	1.0 ms	17.02 kHz	27.61 Hz	- 43 Left
8	1.3 ms	16.64 kHz	28.91 Hz	- 42 Left
9	1.6 ms	16.26 kHz	30.27 Hz	- 41 Left
10	2.0 ms	15.89 kHz	31.70 Hz	- 40 Left
11	2.4 ms	15.52 kHz	33.19 Hz	- 39 Left
12	2.9 ms	15.17 kHz	34.76 Hz	- 38 Left
13	3.4 ms	14.83 kHz	36.39 Hz	- 37 Left
14	3.9 ms	14.49 kHz	38.11 Hz	- 36 Left
15	4.5 ms	14.16 kHz	39.91 Hz	- 35 Left
16	5.1 ms	13.84 kHz	41.79 Hz	- 34 Left
17	5.8 ms	13.52 kHz	43.76 Hz	- 33 Left
18	6.5 ms	13.21 kHz	45.82 Hz	- 32 Left
19	7.2 ms	12.91 kHz	47.98 Hz	- 31 Left
20	8.0 ms	12.62 kHz	50.24 Hz	- 30 Left
21	8.8 ms	12.33 kHz	52.61 Hz	- 29 Left
22	9.7 ms	12.05 kHz	55.08 Hz	- 28 Left
23	10.6 ms	11.78 kHz	57.68 Hz	- 27 Left
24	11.5 ms	11.51 kHz	60.40 Hz	- 26 Left
25	12.5 ms	11.25 kHz	63.25 Hz	- 25 Left
26	13.5 ms	10.99 kHz	66.23 Hz	- 24 Left
27	14.6 ms	10.74 kHz	69.35 Hz	- 23 Left
28	15.7 ms	10.50 kHz	72.62 Hz	- 22 Left
29	16.8 ms	10.26 kHz	76.04 Hz	- 21 Left
30	18.0 ms	10.02 kHz	79.62 Hz	- 20 Left
31	19.2 ms	9.80 kHz	83.37 Hz	- 19 Left
32	20.5 ms	9.57 kHz	87.30 Hz	- 18 Left

Value	Reverb Pre Delay	Reverb High Cut / Damping	Reverb Low Cut	Pan
33	21.8 ms	9.35 kHz	91.42 Hz	- 17 Left
34	23.1 ms	9.14 kHz	95.73 Hz	- 16 Left
35	24.5 ms	8.93 kHz	100.2 Hz	- 15 Left
36	25.9 ms	8.73 kHz	105.0 Hz	- 14 Left
37	27.4 ms	8.53 kHz	109.9 Hz	- 13 Left
38	28.9 ms	8.34 kHz	115.1 Hz	- 12 Left
39	30.4 ms	8.15 kHz	120.5 Hz	- 11 Left
40	32.0 ms	7.96 kHz	126.2 Hz	- 10 Left
41	33.6 ms	7.78 kHz	132.1 Hz	- 9 Left
42	35.3 ms	7.60 kHz	138.4 Hz	- 8 Left
43	37.0 ms	7.43 kHz	144.9 Hz	- 7 Left
44	38.7 ms	7.26 kHz	151.7 Hz	- 6 Left
45	40.5 ms	7.10 kHz	158.9 Hz	- 5 Left
46	42.3 ms	6.93 kHz	166.4 Hz	- 4 Left
47	44.2 ms	6.78 kHz	174.2 Hz	- 3 Left
48	46.1 ms	6.62 kHz	182.4 Hz	- 2 Left
49	48.0 ms	6.47 kHz	191.0 Hz	- 1 Left
50	50.0 ms	6.32 kHz	200.0 Hz	0
51	52.0 ms	6.18 kHz	209.4 Hz	+ 1 Right
52	54.1 ms	6.04 kHz	219.3 Hz	+ 2 Right
53	56.2 ms	5.90 kHz	229.6 Hz	+ 3 Right
54	58.3 ms	5.77 kHz	240.5 Hz	+ 4 Right
55	60.5 ms	5.64 kHz	251.8 Hz	+ 5 Right
56	62.7 ms	5.51 kHz	263.7 Hz	+ 6 Right
57	65.0 ms	5.38 kHz	276.1 Hz	+ 7 Right
58	67.3 ms	5.26 kHz	289.1 Hz	+ 8 Right
59	69.6 ms	5.14 kHz	302.7 Hz	+ 9 Right
60	72.0 ms	5.02 kHz	317.0 Hz	+ 10 Right
61	74.4 ms	4.91 kHz	331.9 Hz	+ 11 Right
62	76.9 ms	4.80 kHz	347.6 Hz	+ 12 Right
63	79.4 ms	4.69 kHz	363.9 Hz	+ 13 Right
64	81.9 ms	4.58 kHz	381.1 Hz	+ 14 Right
65	84.5 ms	4.48 kHz	399.1 Hz	+ 15 Right

Value	Reverb Pre Delay	Reverb High Cut / Damping	Reverb Low Cut	Pan
66	87.1 ms	4.38 kHz	417.9 Hz	+ 16 Right
67	89.8 ms	4.28 kHz	437.6 Hz	+ 17 Right
68	92.5 ms	4.18 kHz	458.2 Hz	+ 18 Right
69	95.2 ms	4.08 kHz	479.8 Hz	+ 19 Right
70	98.0 ms	3.99 kHz	502.4 Hz	+ 20 Right
71	100.8 ms	3.90 kHz	526.1 Hz	+ 21 Right
72	103.7 ms	3.81 kHz	550.8 Hz	+ 22 Right
73	106.6 ms	3.72 kHz	576.8 Hz	+ 23 Right
74	109.5 ms	3.64 kHz	604.0 Hz	+ 24 Right
75	112.5 ms	3.56 kHz	632.5 Hz	+ 25 Right
76	115.5 ms	3.48 kHz	662.3 Hz	+ 26 Right
77	118.6 ms	3.40 kHz	693.5 Hz	+ 27 Right
78	121.7 ms	3.32 kHz	726.2 Hz	+ 28 Right
79	124.8 ms	3.24 kHz	760.4 Hz	+ 29 Right
80	128.0 ms	3.17 kHz	796.2 Hz	+ 30 Right
81	131.2 ms	3.10 kHz	883.7 Hz	+ 31 Right
82	134.5 ms	3.03 kHz	873.0 Hz	+ 32 Right
83	137.8 ms	2.96 kHz	914.2 Hz	+ 33 Right
84	141.1 ms	2.89 kHz	957.3 Hz	+ 34 Right
85	144.5 ms	2.83 kHz	1.00 kHz	+ 35 Right
86	147.9 ms	2.76 kHz	1.05 kHz	+ 36 Right
87	151.4 ms	2.70 kHz	1.10 kHz	+ 37 Right
88	154.9 ms	2.64 kHz	1.15 kHz	+ 38 Right
89	158.4 ms	2.58 kHz	1.21 kHz	+ 39 Right
90	162.0 ms	2.52 kHz	1.26 kHz	+ 40 Right
91	165.6 ms	2.46 kHz	1.32 kHz	+ 41 Right
92	169.3 ms	2.40 kHz	1.38 kHz	+ 42 Right
93	173.0 ms	2.35 kHz	1.45 kHz	+ 43 Right
94	176.7 ms	2.30 kHz	1.52 kHz	+ 44 Right
95	180.5 ms	2.24 kHz	1.59 kHz	+ 45 Right
96	184.3 ms	2.19 kHz	1.66 kHz	+ 46 Right
97	188.2 ms	2.14 kHz	1.74 kHz	+ 47 Right
98	192.1 ms	2.09 kHz	1.82 kHz	+ 48 Right

Value	Reverb Pre Delay	Reverb High Cut / Damping	Reverb Low Cut	Pan
99	196.0 ms	2.05 kHz	1.91 kHz	+ 49 Right
100	200.0 ms	2.00 kHz	2.00 kHz	+ 50 Right